



Kuriyama of America, Inc.
 150 N MARTINGALE ROAD
 SCHAUMBURG, IL 60173-5335 USA
Phone: (847) 755-0360
Toll-Free FAX: (800) 800-0320
International FAX: (847) 885-0996 **Email:** sales@kuriyama.com

Blue Water BW™ Series Low Temperature PVC Suction Hose

Made In the USA



1

<u>Series Number</u>	<u>ID</u>	<u>OD</u>	<u>Working Pressure at 68°F</u>	<u>Working Pressure at 104°F</u>	<u>Vacuum Rating at 68°F</u>	<u>Vacuum Rating at 104°F</u>	<u>Min. Bending Radius at 68°F</u>	<u>Standard Length</u>	<u>Weight</u>
<u>BW075X100</u>	3/4 in 19.1 mm	1.01 in 25.6 mm	115 psi	75 psi	FULL	28 inHg	3 in	100 ft	0.19 lbs/ft
<u>BW100X100</u>	1 in 25.4 mm	1.26 in 32.0 mm	90 psi	65 psi	FULL	28 inHg	3 in	100 ft	0.22 lbs/ft
	1 1/4	1.56							

<u>Series Number</u>	<u>ID</u>	<u>OD</u>	<u>Working Pressure at 68°F</u>	<u>Working Pressure at 104°F</u>	<u>Vacuum Rating at 68°F</u>	<u>Vacuum Rating at 104°F</u>	<u>Min. Bending Radius at 68°F</u>	<u>Standard Length</u>	<u>Weight</u>
<u>BW125X100</u>	in 31.8 mm	in 39.6 mm	90 psi	65 psi	FULL	26 inHg	4 in	100 ft	0.36 lbs/ft
<u>BW150X100</u>	1 1/2 in 38.1 mm	1.79 in 45.5 mm	90 psi	65 psi	FULL	26 inHg	5 in	100 ft	0.48 lbs/ft
<u>BW200X100</u>	2 in 50.8 mm	2.35 in 59.8 mm	90 psi	65 psi	FULL	26 inHg	7 in	100 ft	0.62 lbs/ft
<u>BW250X100</u>	2 1/2 in 63.5 mm	2.87 in 73.0 mm	70 psi	48 psi	FULL	26 inHg	8 in	100 ft	0.87 lbs/ft
<u>BW300X100</u>	3 in 76.2 mm	3.43 in 87.0 mm	65 psi	45 psi	FULL	26 inHg	10 in	100 ft	1.23 lbs/ft
<u>BW400X100</u>	4 in 101.6 mm	4.49 in 114.0 mm	55 psi	40 psi	FULL	26 inHg	15 in	100 ft	1.83 lbs/ft
<u>BW500X20</u>	5 in 127.0 mm	5.57 in 141.5 mm	45 psi	30 psi	28 inHg	24 inHg	25 in	20 ft	2.42 lbs/ft
<u>BW500X100</u>	5 in 127.0 mm	5.57 in 141.5 mm	45 psi	30 psi	28 inHg	24 inHg	25 in	100 ft	2.42 lbs/ft

<u>Series Number</u>	<u>ID</u>	<u>OD</u>	<u>Working Pressure at 68°F</u>	<u>Working Pressure at 104°F</u>	<u>Vacuum Rating at 68°F</u>	<u>Vacuum Rating at 104°F</u>	<u>Min. Bending Radius at 68°F</u>	<u>Standard Length</u>	<u>Weight</u>
<u>BW600X20</u>	6 in 152.4 mm	6.69 in 170.0 mm	40 psi	25 psi	28 inHg	22 inHg	30 in	20 ft	3.36 lbs/ft
<u>BW600X100</u>	6 in 152.4 mm	6.69 in 170.0 mm	40 psi	25 psi	28 inHg	22 inHg	30 in	100 ft	3.36 lbs/ft