


**Kuriyama of America, Inc.**

 150 N MARTINGALE ROAD  
 SCHAUMBURG, IL 60173-5335 USA

**Phone:** (847) 755-0360

**Toll-Free FAX:** (800) 800-0320

**International FAX:** (847) 885-0996 **Email:** [sales@kuriyama.com](mailto:sales@kuriyama.com)
**Vinylflow PVC Layflat Water Discharge Hoses**

Premium PVC Drip Irrigation &amp; Water Discharge Hose


**1**

<u>Series Number</u>	<u>Size</u>	<u>Hose ID</u>	<u>Wall Thickness</u>	<u>Working Pressure at 68°F</u>	<u>Burst Pressure at 68°F</u>	<u>Coil Length</u>	<u>Weight</u>
<u>VF150X300</u>	1 1/2 in 38.1 mm	1.614 in 41.0 mm	0.067 in	80 psi	240 psi	300 ft	0.16 lbs/ft
<u>VF200X300</u>	2 in 50.8 mm	2.090 in 53.1 mm	0.067 in	80 psi	240 psi	300 ft	0.23 lbs/ft
<u>VF250X300</u>	2 1/2 in 63.5 mm	2.598 in 66.0 mm	0.079 in	80 psi	240 psi	300 ft	0.29 lbs/ft

<b><u>Series Number</u></b>	<b><u>Size</u></b>	<b><u>Hose ID</u></b>	<b><u>Wall Thickness</u></b>	<b><u>Working Pressure at 68°F</u></b>	<b><u>Burst Pressure at 68°F</u></b>	<b><u>Coil Length</u></b>	<b><u>Weight</u></b>
<u>VF300X300</u>	3 in 76.2 mm	3.130 in 79.5 mm	0.079 in	70 psi	210 psi	300 ft	0.39 lbs/ft
<u>VF400X300</u>	4 in 101.6 mm	4.134 in 105.0 mm	0.083 in	70 psi	210 psi	300 ft	0.52 lbs/ft
<u>VF500X300</u>	5 in 127.0 mm	5.039 in 128.0 mm	0.087 in	40 psi	120 psi	300 ft	0.68 lbs/ft
<u>VF600X300</u>	6 in 152.4 mm	6.181 in 157.0 mm	0.087 in	50 psi	150 psi	300 ft	0.86 lbs/ft
<u>VF800X300</u>	8 in 203.2 mm	8.169 in 207.5 mm	0.106 in	45 psi	135 psi	300 ft	1.30 lbs/ft
<u>VF800X100</u>	8 in 203.2 mm	8.169 in 207.5 mm	0.106 in	45 psi	135 psi	100 ft	1.30 lbs/ft
<u>VF1000X100</u>	10 in 254.0 mm	10.118 in 257.0 mm	0.118 in	35 psi	105 psi	100 ft	1.81 lbs/ft
<u>VF1200X100</u>	12 in 304.8 mm	12.126 in 308.0 mm	0.118 in	30 psi	90 psi	100 ft	1.95 lbs/ft
<u>VF1400X100</u>	14 in 355.6 mm	14.134 in 359.0 mm	0.118 in	30 psi	90 psi	100 ft	2.62 lbs/ft
<u>VF1600X100</u>	16 in 406.4 mm	16.142 in 410.0 mm	0.118 in	30 psi	90 psi	100 ft	3.10 lbs/ft

